

# NIPPLE SHIELDS

A nipple shield is a flexible silicone cover that can be placed over the nipple to assist with breastfeeding.

## Using a nipple shield

A nipple shield may be suggested to help with particular breastfeeding problems such as, when a baby is having trouble attaching to the breast, when a baby is premature or small, or mother's nipples are flat or inverted. It isn't always helpful to use a shield in the first few days after birth (before the milk has 'come in') and is most often only used temporarily.

## Important information

- A large size shield is preferable for most women (regardless of nipple size), to ensure effective milk transfer.
- Seeing a lactation consultant, midwife or breastfeeding counsellor face-to-face is very helpful. They will be able to make sure that the shield is the correct size, the baby is well attached and is getting enough breast milk.
- Milk can take longer to flow from the breast when a nipple shield is used so feeding may take longer.
- To ensure breasts are well drained it may be necessary to express for a few minutes after feeds.
- While you are feeding with a nipple shield, it is recommended to have your baby weighed weekly or at least fortnightly to ensure adequate growth.
- To use the shield:
  - first express a few drops of milk onto the outside so that your baby can smell it
  - invert the tip of the shield and place it over your nipple, holding it in place while stretching the edges across sideways with your fingers
  - touch baby's lips with the shield, wait for a wideopen mouth and bring your baby quickly onto the shield so that he does not slip back off the shield to cause pinching and nipple damage.

## Cleaning the nipple shield

- After use rinse in the shield in cold water, wash in hot soapy water and rinse under hot running water.
- Drain, dry and store in a clean covered container.

#### Weaning from the nipple shield

It is recommended that baby eventually feed directly from the breast and that attempts to do this be made after a week or two of shield use. Offering lots of skin-2-skin contact, offering the breast at different times - particularly when the baby seems interested in feeding, and removing the shield part way through a feed are some suggestions that may be helpful.

#### For more information and advice

Your midwife, lactation consultant or local maternal & child health nurse

Maternal & Child Health Line (24 hours)

Tel: 13 22 29

Australian Breastfeeding Association

T: 1800 686 268 - Breastfeeding Helpline

W: www.breastfeeding.asn.au

**Disclaimer**: The Royal Women's Hospital does not accept any liability to any person for the information or advice (or use of such information or advice) which is provided in this fact sheet or incorporated into it by reference. We provide this information on the understanding that all persons accessing it take responsibility for assessing its relevance and accuracy. Women are encouraged to discuss their health needs with a health practitioner. If you have concerns about your health, you should seek advice from your health care provider or if you require urgent care you should go to the nearest hospital Emergency Department. © The Royal Women's Hospital, June 2018